

CERTIFICATE



The **European Certification Body GmbH** accredited
according to ISO/IEC 17065 awards to

Mitteldeutsche Tresorbau GmbH
Orionstr. 3, 06184 Kabelsketal / DE

the right to carry the **ECB•S** certification mark for

Safes of resistance grade III according to EN 1143-1:2012 and ECB•S C10
(Series Euro Fort M – Types 50, 60, 67, 80, 99, 1068, 1285, 1368, 1385, 1566, 1585,
1668 and 1685)
(see Annex)

Certificate Number

1506/SA15-02B

5 February 2018

valid from

15 January 2018

Frankfurt am Main

4 February 2022

valid until


Dr. Markus Heering

Certification Body



European Certification Body GmbH
Lyoner Straße 18 • 60528 Frankfurt am Main • Germany
www.ecb-s.com

ECB•S

Mitteldeutsche Tresorbau GmbH, Kabelsketal / DE

SURVEY – Technical documentation (series Euro Fort M)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|--|--|-------------------------|-----------------|
| General drawings | | | |
| Agreement | VER_mitdeu_promet_150907 | 14.09.2015 | 2 |
| Lock list Safe Grade III | --- | 16.10.2017 | 2 |
| Material list for tests and expert opinions | --- | 12.11.2015 | 5 |
| Material | Report 320372, Annex A, page 8 | 24.11.2014 | 1 |
| Concrete composition | F2 | 12.11.2015 | 1 |
| Installation Manual | --- | 04.02.2013 (stamped) | 1 |
| Bolt | 05428.02.03.002 | 22.01.2016 | 1 |
| Door performance of CCB30 | 05432.02 | 27.02.2017 | 1 |
| Ribs | | | |
| Rib (models 1285, 1566) | 05428.01.01.003 05443.01.01.003 05447.01.01.001 05447.01.01.002 | 26.03.2014 | 1 |
| Rib (models 50, 60, 67, 80, 99, 11, 1368, 1385, 1668, 1685) | Safe III grade | 15.07.2013 | 1 |
| Boltwork drawings | | | |
| Latch mechanism of grade III | 328729, Annex A, sheet 11 | 30.10.2015 | 1 |
| Models: | | | |
| Fort M 50 | | | |
| Safe Fort-M-50KL | 05428 | 27.02.2017 | 1 |
| Body | 05428.01 | 27.02.2017 | 1 |
| Door | 05428.02 | 27.02.2017 | 1 |
| Inner case | 05428.01.01 | 27.02.2017 | 1 |

continued on page 2

Mitteldeutsche Tresorbau GmbH, Kabelsketal / DE

SURVEY – Technical documentation (series Euro Fort M)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|-------------------------|-----------------------|------------|-----------------|
| Upper vertical traction | 05428.02.03, Rev. 1 | 27.02.2017 | 1 |
| Lower vertical traction | 05428.02.04, Rev. 1 | 27.02.2017 | 1 |
| Horizontal traction | 05428.02.07, Rev. 1 | 27.02.2017 | 1 |
| Fire resistant inset | 05454.01 | 21.01.2015 | 1 |
| Door's inset | 05428.02.01.02 | 21.01.2015 | 1 |
| Fort M 60 | | | |
| Safe Fort-M-60KL | 05432 | 27.02.2017 | 1 |
| Body | 05432.01 | 27.02.2017 | 1 |
| Door | 05432.02 | 27.02.2017 | 1 |
| Inner case | 05432.01.01 | 27.02.2017 | 1 |
| Upper vertical traction | 05432.02.03 | 27.02.2017 | 1 |
| Lower vertical traction | 05432.02.04 | 27.02.2017 | 1 |
| Horizontal traction | 05432.02.07 | 27.02.2017 | 1 |
| Fire resistant inset | 05469.01 | 21.01.2015 | 1 |
| Door's inset | 05432.02.01.01.02 | 21.01.2015 | 1 |
| Fort M 67 | | | |
| Safe Fort-M-67KL | 05516 | 27.02.2017 | 1 |
| Body | 05434.01 | 27.02.2017 | 1 |
| Door | 05434.02 | 27.02.2017 | 1 |
| Inner case | 05434.01.01 | 27.02.2017 | 1 |
| Upper vertical traction | 05434.02.03 | 27.02.2017 | 1 |
| Lower vertical traction | 05434.02.04 | 27.02.2017 | 1 |
| Horizontal traction | 05434.02.07 | 27.02.2017 | 1 |

continued on page 3

Mitteldeutsche Tresorbau GmbH, Kabelsketal / DE

SURVEY – Technical documentation (series Euro Fort M)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|-------------------------|-----------------------|------------|-----------------|
| Fire resistant inset | 05470.01 | 21.01.2015 | 1 |
| Door's inset | 05434.02.01.01.02 | 21.01.2015 | 1 |
| Fort M 80 | | | |
| Safe Fort-M-80KL | 05435 | 27.02.2017 | 1 |
| Body | 05435.01 | 27.02.2017 | 1 |
| Door | 05435.02 | 27.02.2017 | 1 |
| Inner case | 05435.01.01 | 27.02.2017 | 1 |
| Upper vertical traction | 05435.02.03 | 27.02.2017 | 1 |
| Lower vertical traction | 05435.02.04 | 27.02.2017 | 1 |
| Horizontal traction | 05435.02.07 | 27.02.2017 | 1 |
| Fire resistant inset | 05471.01 | 21.01.2015 | 1 |
| Door's inset | 05435.02.01.01.02 | 21.01.2015 | 1 |
| Fort M 99 | | | |
| Safe Fort-M-99KL | 05436 | 27.02.2017 | 1 |
| Body | 05436.01 | 27.02.2017 | 1 |
| Door | 05517.02 | 27.02.2017 | 1 |
| Inner case | 05436.01.01 | 27.02.2017 | 1 |
| Upper vertical traction | 05436.02.03 | 27.02.2017 | 1 |
| Lower vertical traction | 05436.02.04 | 27.02.2017 | 1 |
| Horizontal traction | 05436.02.07 | 27.02.2017 | 1 |
| Fire resistant inset | 05472.01 | 21.01.2015 | 1 |
| Door's inset | 05436.02.01.01.02 | 21.01.2015 | 1 |

continued on page 4

Mitteldeutsche Tresorbau GmbH, Kabelsketal / DE

SURVEY – Technical documentation (series Euro Fort M)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|-------------------------|-----------------------|------------|----------------------------|
| Fort M 1068 | | | |
| Safe Fort-M-1068KL | 05438 | 27.02.2017 | 1 |
| Body | 05438.01 | 27.02.2017 | 1 |
| Door | 05438.02 | 27.02.2017 | 1 |
| Inner case | 05438.01.01 | 27.02.2017 | 1 |
| Upper vertical traction | 05438.02.03 | 27.02.2017 | 1 |
| Lower vertical traction | 05438.02.04 | 27.02.2017 | 1 |
| Horizontal traction | 05436.02.07 | 27.02.2017 | 1 |
| Fire resistant inset | 05473.01 | 21.01.2015 | 1 |
| Door's inset | 05438.02.01.01.02 | 21.01.2015 | 1 |
| Fort M 1368 | | | |
| Safe Fort-M-1368KL | 05442 | 27.02.2017 | 1 |
| Body | 05442.01 | 27.02.2017 | 1 |
| Door | 05379.02 | 27.02.2017 | 1 |
| Inner case | 05442.01.01 | 27.02.2017 | 1 |
| Upper vertical traction | 05442.02.03 | 27.02.2017 | 1 |
| Lower vertical traction | 05442.02.04 | 27.02.2017 | 1 |
| Horizontal traction | 05442.02.07 | 27.02.2017 | 1 |
| Fire resistant inset | 05476.01 | 21.01.2015 | 1 |
| Door's inset | 05442.02.01.01.02 | 21.01.2015 | 1 |
| | | | <i>continued on page 5</i> |

Mitteldeutsche Tresorbau GmbH, Kabelsketal / DE

SURVEY – Technical documentation (series Euro Fort M)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|-------------------------|-----------------------|------------|-----------------|
| Fort M 1285 | | | |
| Safe Fort-M-1285KL | 05448 | 27.02.2017 | 1 |
| Body | 05448.01 | 27.02.2017 | 1 |
| Door | 05448.02 | 27.02.2017 | 1 |
| Inner case | 05448.01.01 | 27.02.2017 | 1 |
| Upper vertical traction | 05448.02.03 | 27.02.2017 | 1 |
| Lower vertical traction | 05448.02.04 | 27.02.2017 | 1 |
| Horizontal traction | 05448.02.07 | 27.02.2017 | 1 |
| Fire resistant inset | 05475.01 | 21.01.2015 | 1 |
| Door's inset | 05448.02.01.01.02 | 21.01.2015 | 1 |
| Fort M 1385 | | | |
| Safe Fort-M-1385KL | 05445 | 27.02.2017 | 1 |
| Body | 05445.01 | 27.02.2017 | 1 |
| Door | 05445.02 | 27.02.2017 | 1 |
| Inner case | 05445.01.01 | 27.02.2017 | 1 |
| Upper vertical traction | 05445.02.03 | 27.02.2017 | 1 |
| Lower vertical traction | 05445.02.04 | 27.02.2017 | 1 |
| Horizontal traction | 05445.02.07 | 27.02.2017 | 1 |
| Fire resistant inset | 05455.01 | 21.01.2015 | 1 |
| Door's inset | 05445.02.01.01.02 | 21.01.2015 | 1 |
| Fort M 1566 | | | |
| Safe Fort-M-1566KL | 05447 | 27.02.2017 | 1 |
| Body | 05447.01 | 27.02.2017 | 1 |

continued on page 6

Mitteldeutsche Tresorbau GmbH, Kabelsketal / DE

SURVEY – Technical documentation (series Euro Fort M)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|-------------------------|-----------------------|------------|-----------------|
| Door | 05443.02 | 27.02.2017 | 1 |
| Inner case | 05447.01.01 | 27.02.2017 | 1 |
| Upper vertical traction | 05443.02.03 | 27.02.2017 | 1 |
| Lower vertical traction | 05443.02.04 | 27.02.2017 | 1 |
| Horizontal traction | 05443.02.07 | 27.02.2017 | 1 |
| Fire resistant inset | 05478.01 | 21.01.2015 | 1 |
| Door's inset | 05443.02.01.01.02 | 21.01.2015 | 1 |
| Fort M 1585 | | | |
| Safe Fort-M-1585KL | 05443 | 27.02.2017 | 1 |
| Body | 05443.01 | 27.02.2017 | 1 |
| Door | 05443.02 | 27.02.2017 | 1 |
| Inner case | 05443.01.01 | 27.02.2017 | 1 |
| Upper vertical traction | 05443.02.03 | 27.02.2017 | 1 |
| Lower vertical traction | 05443.02.04 | 27.02.2017 | 1 |
| Horizontal traction | 05443.02.07 | 27.02.2017 | 1 |
| Fire resistant inset | 05474.01 | 21.01.2015 | 1 |
| Door's inset | 05443.02.01.01.02 | 21.01.2015 | 1 |
| Fort M 1668 | | | |
| Safe Fort-M-1668KL | 05444 | 27.02.2017 | 1 |
| Body | 05444.01 | 27.02.2017 | 1 |
| Door | 05446.02 | 27.02.2017 | 1 |
| Inner case | 05444.01.01 | 27.02.2017 | 1 |

continued on page 7

Mitteldeutsche Tresorbau GmbH, Kabelsketal / DE

SURVEY – Technical documentation (series Euro Fort M)

| TECHNICAL DOCUMENTATION | FILE NAME OF DOCUMENT | DATE | NUMBER OF PAGES |
|-------------------------|-----------------------|------------|-----------------|
| Upper vertical traction | 05444.02.03 | 27.02.2017 | 1 |
| Lower vertical traction | 05444.02.04 | 27.02.2017 | 1 |
| Horizontal traction | 05444.02.07 | 27.02.2017 | 1 |
| Fire resistant inset | 05467.01 | 21.01.2015 | 1 |
| Door's inset | 05444.02.01.01.02 | 21.01.2015 | 1 |
| Fort M 1685 | | | |
| Safe Fort-M-1685KL | 05442 | 27.02.2017 | 1 |
| Body | 05446.01 | 27.02.2017 | 1 |
| Door | 05442.02 | 27.02.2017 | 1 |
| Inner case | 05446.01.01 | 27.02.2017 | 1 |
| Upper vertical traction | 05446.02.03 | 27.02.2017 | 1 |
| Lower vertical traction | 05446.02.04 | 27.02.2017 | 1 |
| Horizontal traction | 05444.02.07 | 27.02.2017 | 1 |
| Fire resistant inset | 05457.01 | 21.01.2015 | 1 |
| Door's inset | 05446.02.01.01.02 | 21.01.2015 | 1 |

NOTE Certified *Euro Fort M*-types shall exclusively be equipped with high security locks according to EN 1300 which are listed both in the approved technical documentation and in the lock guide ECB•S R01.

The types of the series *Euro Fort M* have a weight of $\leq 1,000$ kg. In accordance with the technical documentation they therefore have to be equipped with an anchoring assembly including material.

The marking as ECB•S certified product, in compliance with this certificate, is only allowed with an original ECB•S certification mark as proof of conformity according to ISO/IEC 17065.